



Cambridge International AS & A Level

PHYSICS

9702/33

Paper 3 Advanced Practical Skills 1

October/November 2020

MARK SCHEME

Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2020 series for most Cambridge IGCSE™, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

This document consists of **9** printed pages.

Question	Answer	Marks
1(a)	Values of raw diameter either all recorded to 0.01 cm or all to 0.001 cm and final value in range 1.00–10.00 cm.	1
	Evidence of repeat measurements.	1
1(b)	p in range $15.0 \text{ cm} \leq p \leq 19.0 \text{ cm}$ and F in range $1.0 \text{ N} \leq F \leq 5.0 \text{ N}$.	1
1(c)	Six (or more) sets of readings of p and F (different values of non-zero p) with the correct trend and without help from the Supervisor scores 3 marks, five sets scores 2 marks, etc.	3
	Range: Must include values of $p \leq 8.0 \text{ cm}$ and $p \geq 42.0 \text{ cm}$.	1
	Column headings: Each column heading must contain a quantity, a unit and a separating mark where appropriate. The presentation of quantity and unit must conform to accepted scientific convention e.g. $(p + r) / \text{cm}$	1
	Consistency: <u>All</u> raw values of p must be given to the nearest 0.1 cm.	1
	Consistency: <u>All</u> raw values of F must be given to the nearest 0.1 N.	1
	Calculation: Values of $(p + r)$ are correct.	1

Question	Answer	Marks
1(d)(i)	Axes: Sensible scales must be used, no awkward scales (e.g. 3:10 or fractions). Scales must be chosen so that the plotted points occupy at least half the graph grid in both x and y directions. Scales must be labelled with the quantity that is being plotted. Scale markings should be no more than three large squares apart.	1
	Plotting of points: All observations in the table must be plotted on the grid. Diameter of plotted points must be $\leq$ half a small square. Points must be plotted to an accuracy of half a small square.	1
	Quality: All points in the table (at least 5) must be plotted on the grid. Trend of points must be correct. It must be possible to draw a straight line that is within $\pm 0.20\text{ N}$ (to scale) on the F axis (normally y-axis) of all plotted points.	1
1(d)(ii)	Line of best fit: Judge by balance of all points on the grid about the candidate's line (at least 5 points). There must be an even distribution of points either side of the line along the full length. Allow one anomalous point only if clearly indicated by the candidate. There must be at least five points left after the anomalous point is disregarded. Lines must not be kinked or thicker than half a small square.	1
1(d)(iii)	Gradient: The hypotenuse of the triangle used must be greater than half the length of the drawn line. Method of calculation must be correct, e.g. not $\Delta x / \Delta y$. Gradient sign on answer line matches graph drawn. Both read-offs must be accurate to half a small square in both the x and y directions.	1
	y-intercept: Correct read-off from a point on the line substituted correctly into $y = mx + c$ or an equivalent expression. Read-off accurate to half a small square in both x and y directions. or Intercept read directly from the graph, with read-off at $p + r = \text{zero}$, accurate to half a small square.	1

Question	Answer	Marks
1(e)	$Q = \frac{W}{\text{gradient}} = \frac{3.00}{\text{gradient}}$	1
	$S = Q \times y\text{-intercept} = \frac{3.00 \times y\text{-intercept}}{\text{gradient}}$	1
	Units for Q and S correct (e.g. m and N m).	1

Question	Answer	Marks
2(a)(i)	Raw L to the nearest 0.1 cm and final value in the range 11.5–12.5 cm.	1
2(a)(ii)	Percentage uncertainty based on an absolute uncertainty ΔL in the range 2–5 mm. If repeat readings have been taken, then the absolute uncertainty can be half the range (but not zero) if the working is clearly shown. Correct method of calculation to obtain percentage uncertainty.	1
2(b)(i)	All raw times measured either to the nearest 0.1 s or all to the nearest 0.01 s.	1
	Evidence of measurement of nT repeated where $n \geq 5$.	1
	Value of T in the range $0.5 \text{ s} \leq T \leq 1.0 \text{ s}$.	1
2(b)(ii)	Calculation of T^2 correct.	1
2(b)(iii)	Justification of the number of significant figures in terms of the number of s.f. in (raw) time <u>only</u> .	1
2(c)	Second values of L and T .	1
	Second value of $T <$ first value of T .	1
2(d)(i)	Two values of k calculated correctly. The final k values must not be fractions.	1
2(d)(ii)	Valid comment consistent with the calculated values of k , testing against a criterion stated by the candidate.	1
2(e)	Correct calculation of g using candidate's second k and in range $2.0 \text{ m s}^{-2} \leq g \leq 20.0 \text{ m s}^{-2}$.	1

Question	Answer	Marks
2(f)(i)	A Two readings are not enough to draw a (valid) conclusion (not “not enough for accurate results”, “few readings”). B Difficulty in measuring time or T with a reason, e.g. judging when to start or stop the stop-watch, judging start/end/complete oscillation. C Difficulty in measuring L with a reason, e.g. wire is not straight/is kinked/has rounded corners. D Corners are not at right angles or square not complete/joined or shape changes when suspended/during oscillation. E Oscillations are not in one plane or square catches on drawing pin. <i>1 mark for each point up to a maximum of 4.</i>	4
2(f)(ii)	A Take more readings <u>and</u> plot a graph or take more readings <u>and</u> compare k values (not “repeat readings” on its own). B Method of improving time or T, e.g. fiducial marker at centre/video (or record or film) <u>and</u> timer (or frame-by-frame)/place a grid behind the apparatus. C Method of improving L, e.g. use thicker/stiffer wire or use a former/shaping block. D Method of improving the setting of 90° corners, e.g. use a set square or protractor with appropriate reason or method of fixing ends, e.g. use adhesive putty/tape with appropriate reason. E Method of improving oscillation, e.g. longer pin/use of guide with detail/groove in pin/use a nail/use a hook. <i>1 mark for each point up to a maximum of 4.</i>	4



Cambridge International AS & A Level

PHYSICS

9702/34

Paper 3 Advanced Practical Skills 2

October/November 2020

MARK SCHEME

Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2020 series for most Cambridge IGCSE™, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

This document consists of **8** printed pages.

Question	Answer	Marks
1(a)	Value of raw x to the nearest mm and final value in range 38.0–42.0 cm.	1
1(b)	Value of θ in range 60° – 100° .	1
1(c)	Six (or more) sets of readings of x and θ with correct trend and without help from the Supervisor scores 5 marks, five sets scores 4 marks etc. Values of x should be different and non-zero.	5
	Range: $x_{\min} \leq 20.0 \text{ cm}$ and $x_{\max} \geq 45.0 \text{ cm}$.	1
	Column headings: Each column heading must contain a quantity, a separating mark and a unit where appropriate. Heading for $\cos \theta$ must have no unit. The presentation of quantity and unit must conform to accepted scientific convention e.g. x / cm .	1
	Consistency: All values of raw θ must be given to the nearest degree.	1
	Significant figures: Values of $\cos \theta$ should be to the same number of s.f. as (or one more than) the number of s.f. in the corresponding value of θ .	1
	Calculation: Values of $\cos \theta$ calculated correctly.	1

Question	Answer	Marks
1(d)(i)	Axes: Sensible scales must be used, no awkward scales (e.g. 3:10 or fractions). Scales must be chosen so that the plotted points occupy at least half the graph grid in both x and y directions. Scales must be labelled with the quantity that is being plotted. Scale markings should be no more than three large squares apart.	1
	Plotting of points: All observations must be plotted on the grid. Diameter of plotted points must be $\leq$ half a small square. Plots must be accurate to within half a small square in both x and y directions.	1
	Quality: All points in the table must be plotted (at least 5) for this mark to be awarded. Trend of points should be correct. Scatter of plotted points must be no more than ± 0.05 from a straight line on the $\cos \theta$ axis.	1
1(d)(ii)	Line of best fit: Judged by balance of all points on the grid (at least 5) about the candidate's line. There must be an even distribution of points either side of the line along the full length. One anomalous point is allowed only if clearly indicated (i.e. circled or labelled) by the candidate. Lines must not be kinked or thicker than half a square.	1
1(d)(iii)	Gradient: The hypotenuse of the triangle used must be greater than half the length of the drawn line. Method of calculation must be correct, e.g. not $\Delta x / \Delta y$. The sign of the gradient must match the graph drawn. Both read-offs must be accurate to half a small square in both the x and y directions.	1
	y-intercept: Correct read-off from a point on the line substituted into $y = mx + c$ or an equivalent expression. Read-off accurate to half a small square in both x and y directions. or Intercept read directly from the graph, with read-off at $x = \text{zero}$ accurate to half a small square in y direction.	1

Question	Answer	Marks
1(e)	a equal to candidate's gradient and b equal to candidate's intercept. Values must not be written as fractions.	1
	Unit for a correct (e.g. cm^{-1}) and consistent with value and no unit given for b .	1

Question	Answer	Marks
2(a)(i)	Value of raw x to nearest mm and final value in range 20–24 mm with unit.	1
2(a)(ii)	Values of raw D and d to nearest mm and final value of D in the range 38–42 mm.	1
2(a)(iii)	Correct calculation of L .	1
2(a)(iv)	Justification based on significant figures in x , D and $(D - d)$.	1
2(b)(i)	Raw values of times all to 0.1 s or all to 0.01 s and value of T in range 0.5–2.5 s.	1
	Evidence of repeats: at least two values of time.	1
2(b)(ii)	Percentage uncertainty based on an absolute uncertainty in time value of 0.2–0.5 s. If repeat readings have been taken, then the absolute uncertainty can be half the range (but not zero) if the working is clearly shown. Correct method of calculation to obtain percentage uncertainty.	1
2(c)	Second values of x and T .	1
	Quality: second $T >$ first T .	1
2(d)(i)	Two values of k calculated correctly. The final values of k must not be fractions.	1
2(d)(ii)	Valid comment relating to the calculated values of k , testing against a criterion specified by the candidate.	1
2(e)	Correct calculation of g .	1

Question	Answer	Marks
2(f)(i)	A Two readings are not enough to draw a (valid) conclusion (not “not enough for accurate results”, “few readings”). B Difficult to measure diameters or x with reason e.g. parallax/zero not at end of ruler/x varies around roller/nuts or bolt prevent placement of ruler. C θ small so large uncertainty/large % uncertainty in θ. D Oscillations die away quickly. E Difficult to measure time/T because it is difficult to judge the end/beginning/completion of an oscillation. F Roller slips down board. <i>1 mark for each point up to a maximum of 4.</i>	4
2(f)(ii)	A Take more readings <u>and</u> plot a graph or take more readings <u>and</u> compare k values (not “repeat readings” on its own). B Use metre rule/calipers/micrometer/blocks either side of washer/use pointers with detail. C Method to reduce uncertainty in θ e.g. use of trigonometry with detail/increase θ. D Method to increase the number of oscillations e.g. smoother board/named smooth material for board/sand board. E Method of improving timing e.g. fiducial marker at centre of oscillation or video/record/film with timer/frame-by-frame. F Method of reducing slipping e.g. rougher/named higher friction surface/smaller θ. <i>1 mark for each point up to a maximum of 4.</i>	4



Cambridge International AS & A Level

PHYSICS**9702/35**

Paper 3 Advanced Practical Skills 1

October/November 2020**MARK SCHEME**Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2020 series for most Cambridge IGCSE™, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

This document consists of **8** printed pages.

Question	Answer	Marks
1(a)	Value of I with unit in the range 30.0–50.0 mA.	1
1(b)	Six (or more) sets of readings of R and I (different values of R) with the correct trend and without help from the Supervisor scores 5 marks, five sets scores 4 marks, etc.	5
	Range: Must use $R = 204\ \Omega$ and $22.7\ \Omega$.	1
	Column headings: Each column heading must contain a quantity, a unit and a separating mark where appropriate. The presentation of quantity and unit must conform to accepted scientific convention, e.g. $1/I\ (\text{mA}^{-1})$.	1
	Consistency of presentation: All raw values of I must be given to 0.1 mA or all to 0.01 mA.	1
	Significant figures: All values of $1/I$ must be given to the same number of s.f. as (or one more than) the number of s.f. in raw I .	1
	Calculation: Values of $1/I$ are correct.	1
1(c)(i)	Axes: Sensible scales must be used, no awkward scales (e.g. 3:10 or fractions). Scales must be chosen so that the plotted points occupy at least half the graph grid in both x and y directions. Scales must be labelled with the quantity that is being plotted. Scale markings should be no more than three large squares apart.	1
	Plotting of points: All observations in the table must be plotted on the grid. Diameter of plotted points must be $\leq$ half a small square. Points must be plotted to an accuracy of half a small square.	1
	Quality: All points in the table must be plotted (at least 5) on the grid for this mark to be awarded. Trend of points must be correct. It must be possible to draw a straight line that is within $\pm 4\ \Omega$ (to scale) on the R axis (normally x -axis) of all plotted points.	1

Question	Answer	Marks
1(c)(ii)	Line of best fit: Judge by balance of all points on the grid about the candidate's line (at least 5 points). There must be an even distribution of points either side of the line along the full length. Allow one anomalous point only if clearly indicated (i.e. circled or labelled) by the candidate. There must be at least five points left after the anomalous point is disregarded. Lines must not be kinked or thicker than half a small square.	1
1(c)(iii)	Gradient: The hypotenuse of the triangle used must be greater than half the length of the drawn line. Method of calculation must be correct, e.g. not $\Delta x / \Delta y$. Gradient sign on answer line matches graph drawn. Both read-offs must be accurate to half a small square in both the x and y directions.	1
	y-intercept: Correct read-off from a point on the line substituted correctly into $y = mx + c$ or an equivalent expression. Read-off accurate to half a small square in both x and y directions. or Intercept read directly from the graph, with read-off at $R = \text{zero}$, accurate to half a small square.	1
1(d)	$E = 1 / \text{gradient}$	1
	$X = E \times \text{y-intercept}$ or $X = \text{y-intercept} / \text{gradient}$	1
	Units for E and X correct (e.g. V and Ω).	1

Question	Answer	Marks
2(a)(i)	$p = 7.0 \pm 0.2 \text{ cm}$ $q = 21.0 \pm 0.2 \text{ cm}$ $w = 24.0 \pm 0.2 \text{ cm}$	1
	All raw values recorded to the nearest millimetre.	1
2(a)(ii)	Correct calculation of $\frac{2q}{p+q}$.	1
2(b)(i)	Value of d .	1
2(b)(ii)	Percentage uncertainty based on an absolute uncertainty Δd in the range 2–5 mm. If repeated readings have been taken, then the absolute uncertainty can be half the range (but not zero) if working is clearly shown. Correct method of calculation to obtain percentage uncertainty.	1
2(b)(iii)	Value of $(w - d)$ correctly calculated from w and d .	1
2(c)(i)	Valid method, e.g. measure $q / 2$ in several places and draw a straight line with a ruler.	1
2(c)(ii)	Second q recorded to the nearest mm <u>and</u> half original value of $q \pm 1 \text{ mm}$.	1
2(c)(iii)	Second value of d recorded.	1
	Second value of d is larger than first value of d .	1
2(d)(i)	Two values of k calculated correctly. The final k values must not be fractions.	1
2(d)(ii)	Valid comment consistent with the calculated values of k , testing against a criterion stated by the candidate.	1

Question	Answer	Marks
2(e)(i)	A Two readings are not enough to draw a (valid) conclusion (not “not enough for accurate results”, “few readings”). B Difficult to judge when top edge of card is horizontal/difficult to keep card horizontal. C Difficult to accurately locate the centre of the paper clip, e.g. clip too large/clip not vertical/sides of clip not straight. D Difficulty with the attachment, e.g. paper clip does not grip/card falls. E Difficult to measure d with reason, e.g. touching disturbs equilibrium/ruler held by hand in mid-air/parallax error. F Card bends easily or corners on card may not be at right angles. <i>1 mark for each point up to a maximum of 4.</i>	4
2(e)(ii)	A Take more readings <u>and</u> plot a graph or take more readings <u>and</u> compare k values (not “repeat readings” on its own). B Method to improve judgement of horizontal, e.g. use of spirit level/clamped ruler with detailed method to ensure horizontal/place a grid behind the apparatus with method to ensure horizontal/turn off air conditioning. C Method to improve location of centre of paper clip, e.g. use narrower paper clip/measure to either side of clip and average/use calipers to measure width of clip. D Improved method of suspension, e.g. place pin through card/hole with needle/add adhesive putty. E Improved method to measure d, e.g. clamp ruler/write scale on card/carefully remove with paper clip and measure on bench. F Use of named more rigid material or detailed use of a set square or protractor. <i>1 mark for each point up to a maximum of 4.</i>	4



Cambridge International AS & A Level

PHYSICS

9702/36

Paper 3 Advanced Practical Skills 2

October/November 2020

MARK SCHEME

Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2020 series for most Cambridge IGCSE™, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

This document consists of **9** printed pages.

Question	Answer	Marks
1(a)	Value of y in range 5.0–50.0 cm.	1
1(b)	Six sets of readings of R and y with correct trend and without help from the Supervisor scores 4 marks, five sets scores 3 marks etc.	4
	Range: R values must include 100 Ω and 820 Ω .	1
	Column headings: Each column heading must contain a quantity, a unit and a separating mark where appropriate The presentation of quantity and unit must conform to accepted scientific convention e.g. $1/y$ (cm^{-1}).	1
	Consistency: All values of raw y must be given to the nearest mm.	1
	Significant figures: All values of $1/y$ should have the same number of s.f. as (or one more than) its corresponding raw y value.	1
	Calculation: Values of $1/y$ calculated correctly.	1

Question	Answer	Marks
1(c)(i)	Axes: Sensible scales must be used, no awkward scales (e.g. 3:10 or fractions) Scales must be chosen so that the plotted points occupy at least half the graph grid in both x and y directions. Scales must be labelled with the quantity that is being plotted. Scale markings should be no more than three large squares apart.	1
	Plotting of points: All observations must be plotted on the grid. Diameter of plotted points must be $\leq$ half a small square. Plots must be accurate to within half a small square in both x and y directions.	1
	Quality: All points in the table must be plotted (at least 5) for this mark to be awarded. Trend must be correct. Scatter of plotted points must be no more than $\pm 25 \Omega$ from a straight line in the R direction.	1
1(c)(ii)	Line of best fit: Judge by balance of all points on the grid (at least 5) about the candidate's line. There must be an even distribution of points either side of the line along the full length. One anomalous point is allowed only if clearly indicated (i.e. circled or labelled) by the candidate. Lines must not be kinked or thicker than half a square.	1
1(c)(iii)	Gradient: The hypotenuse of the triangle used must be greater than half the length of the drawn line. Method of calculation must be correct. Sign of the gradient value must match the gradient of the graph. Both read-offs must be accurate to half a small square in both the x and y directions.	1
	y-intercept: Correct read-off from a point on the line substituted into $y = mx + c$ or an equivalent expression. Read-off accurate to half a small square in both x and y directions. or Intercept read directly from the graph, with read-off at $R = \text{zero}$ accurate to half a small square in y direction.	1

Question	Answer	Marks
1(d)	Value of a equal to candidate's gradient and value of b equal to candidate's intercept. Values must not be written as fractions.	1
	Units for a (e.g. $\text{cm}^{-1} \Omega^{-1}$) and b (e.g. cm^{-1}) correct and consistent with values.	1
1(e)(i)	W to the nearest mm and in the range 88.0–92.0 cm.	1
1(e)(ii)	P calculated correctly.	1

Question	Answer	Marks
2(a)	Value of L to nearest mm and in range 28.0–30.0 cm.	1
	Value of H to nearest mm.	1
2(b)	Percentage uncertainty based on an absolute uncertainty in H value of 2–5 mm. If repeat readings have been taken, then the absolute uncertainty can be half the range (but not zero) if the working is clearly shown. Correct method of calculation to obtain percentage uncertainty.	1
2(c)	Raw values of times all to 0.1 s or all to 0.01 s and value of T in range 0.90–1.60 s.	1
	Repeated readings: at least two values of $5T$ or more.	1
2(d)(i)	Second values of L and H .	1
2(d)(ii)	Second value of T .	1
	Quality: second value of $T >$ first value of T .	1
2(e)(i)	Two values of k calculated correctly.	1
2(e)(ii)	Justification based on the number of significant figures in <u>all</u> of: raw times, L and H .	1
2(e)(iii)	Valid comment relating to the calculated values of k , testing against a criterion specified by the candidate.	1
2(f)	Correct calculation of g with consistent unit.	1

Question	Answer	Marks
2(g)(i)	A Two readings are not enough to draw a (valid) conclusion (not “not enough for accurate results”, “few readings”). B Difficult to hold ruler in bent position while sticking on the tape. C Tape difficult to handle because of stickiness. D Difficulty measuring H (or height) with detail e.g. H varies across width of curved ruler/difficulty locating highest point of curved ruler/parallax problem/ruler not vertical/zero not at end of vertical ruler. E Difficulty measuring T (or time) with detail e.g. judging complete oscillation/judging start of oscillation/judging end of oscillation. F Difficulty measuring L with detail e.g. L varies across width of curved ruler/L hidden behind tape. G H changes when strip is put on top of curved ruler. <i>1 mark for each point up to a maximum of 4.</i>	4
2(g)(ii)	A Take more readings <u>and</u> plot a graph or take more readings <u>and</u> compare k values (not “repeat readings” on its own). B Push ruler against stop fixed to bench (when fixing tape). C Hold ruler between clamped blocks (instead of using tape). D Measure H using e.g. travelling microscope/set square/ruler with scale starting at end/ruler and set square (or spirit level)/depth gauge on calipers/measure from zero mark to end of ruler and add to reading. E Video (or record or film) with timer in view (or frame-by-frame)/position (fiducial) marker at centre of motion. G Measure H with strip in place/use lower mass strip/use stiffer (curved) ruler. <i>1 mark for each point up to a maximum of 4.</i>	4